

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... FEB 27 1980
 Returned to applicant for correction..... MAY 12 1980
 Corrected application filed..... MAY 21 1980
 Map filed..... MAY 21 1980

The applicant..... Freebee Corporation
 517 South Third....., of Las Vegas.....
Street and No. or P.O. Box No. City or Town
 Nevada 89101....., hereby make s. application for permission to appropriate the public
State and Zip Code No.
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
 tion; if a copartnership or association, give names of members.) A Nevada corporation incor-
 porated on July 17, 1978

1. The source of the proposed appropriation is underground aquifer
Name of stream, lake or other source.

2. The amount of water applied for is 0.057 second-foot
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... acre-feet

3. The water to be used for commercial (casino-hotel) and domestic purposes.
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: located within the Northwest
 Quarter (NW $\frac{1}{4}$) of Section 13, T.32S., R.66E., MDM. at a point from
 which the west $\frac{1}{4}$ corner of said section 13 bears S. 60°00'W. 500.00
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
 feet. The NW $\frac{1}{4}$ has never been subdivided into 40 acre pcls.
it should be stated.

6. Place of use..... A portion of the Northwest Quarter (NW $\frac{1}{4}$) and a portion
Describe by legal subdivision, if on unsurveyed land it should be so stated.
 of Government Lot 2 and a portion of Government Lot 3, all in Sec-
 tion 13, T.32S., R.66E., MDM.

7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
 specifications of your diversion or storage works.) Approximately 550 feet deep 12" well
 with turbine pump into 300,000 gallon tank distributing through 8"
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
 main to hotel and casino.

9. Estimated cost of works.....\$50,000.00
10. Estimated time required to construct works.....6 months
11. Estimated time required to complete the application to beneficial use.....3 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Uses are potable water to 150 unit hotel with accompanying casino.
Tabulation of consumption is as follows:
150 hotel rooms @ 50 gallons per day 7,500 gallons/day
2,000 customers at casino @ 10 gallons per day 20,000 gallons/day
80 seat restaurant @ 50 gallons/seat/day 4,000 gallons/day
Air conditioning cooling load @ 5,000 gallons/day
TOTAL 36,000 gallons/day

Applicant. Freebee Corporation

By s/ Robert J. McNutt
Robert J. McNutt
P.O. Box 539
Las Vegas, Nevada 89101

Compared lp/vjw gk/bc

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

No perforations shall be put in the production casing from ground level to 100 feet.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.057 cubic feet per second, but not to exceed

13.14 million gallons annually.

Actual construction work shall begin on or before June 9, 1981

Proof of commencement of work shall be filed before July 9, 1981

Work must be prosecuted with reasonable diligence and be completed on or before June 9, 1982

Proof of completion of work shall be filed before July 9, 1982

Application of water to beneficial use shall be made on or before June 9, 1984

Proof of the application of water to beneficial use shall be filed on or before July 9, 1984

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed
Completion of work filed JUL 26 1982
Proof of beneficial use filed
Cultural map filed
Certificate No. Issued

IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 9th day of DECEMBER

A.D. 1980

William J. Newman
State Engineer

Abrogated By 46798